```
      FILE 'USPATFULL' ENTERED AT 07:15:12 ON 21 OCT 1999
L1         149 S  (WWW OR WORLD WIDE WEB)(W)SERVER
L2         105 S  PROXY(W)SERVER
L3          76 S  PROTOCOL(W)SERVER
L4        1018 S  UDP
L5        4341 S  TCP
L6        7147 S  CLIENT
L7          23 S  L1 AND L2
L8           3 S  L1 AND L3
L9          17 S  L1 AND L4
L10        149 S  L1 AND 5
L11        114 S  L1 AND L6
L12          6 S  L2 AND L3
L13         12 S  L2 AND L4
L14         54 S  L2 AND L5
L15         86 S  L2 AND L6
L16          9 S  L3 AND L4
L17         38 S  L3 AND L5
L18         63 S  L3 AND L6
L19        408 S  L4 AND L5
L20        256 S  L4 AND L6
L21       1203 S  L5 AND L6
L22          2 S  L1 AND L2 AND L3
L23         19 S  L1 AND L6 AND L2
L24          2 S  L23 AND L3
```

```
>>> the /IC5 and /IC fields include the corresponding catchword     <<<
>>> terms from the IPC subject headings and subheadings.            <<<

This file contains CAS Registry Numbers for easy and accurate
substance identification.

=> s proxy(w)server
            708 PROXY
          11764 SERVER
L1          105 PROXY(W)SERVER

=> s transform?(w)data
         222873 TRANSFORM?
         530828 DATA
L2         2146 TRANSFORM?(W)DATA

=> s encod?(w)format
         108110 ENCOD?
          97396 FORMAT
L3          911 ENCOD?(W)FORMAT

=> s protocol(w)transform?
          49461 PROTOCOL
         222873 TRANSFORM?
L4           32 PROTOCOL(W)TRANSFORM?

=> s data(2a)type(2a)identifie?
         530828 DATA
        1565046 TYPE
         325422 IDENTIFIE?
L5          522 DATA(2A)TYPE(2A)IDENTIFIE?

=> s tcp
L6         4341 TCP

=> s udp
L7         1018 UDP

=> s (www or world(w)wide(w)web)(w)server
            890 WWW
          46934 WORLD
         560133 WIDE
         113172 WEB
          11764 SERVER
L8          149 (WWW OR WORLD(W)WIDE(W)WEB)(W)SERVER

=> d his

       (FILE 'HOME' ENTERED AT 19:04:16 ON 21 OCT 1999)

       FILE 'USPATFULL' ENTERED AT 19:05:26 ON 21 OCT 1999
L1          105 S PROXY(W)SERVER
L2         2146 S TRANSFORM?(W)DATA
L3          911 S ENCOD?(W)FORMAT
L4           32 S PROTOCOL(W)TRANSFORM?
L5          522 S DATA(2A)TYPE(2A)IDENTIFIE?
L6         4341 S TCP
L7         1018 S UDP
L8          149 S (WWW OR WORLD(W)WIDE(W)WEB)(W)SERVER

=> l1 and l2
L1 IS NOT A RECOGNIZED COMMAND
The previous command name entered was not recognized by the system.
For a list of commands available to you in the current file, enter
```

```
          ---------
L1   (         0)SEA FILE=USPATFULL DATA(2A)TRANSFORM?(2A)PROXY(2A)SERVER
L2   (       143)SEA FILE=USPATFULL PROXY(2A)SERVER
L3   (        93)SEA FILE=USPATFULL TRANSFORM?(2A)AUDIO(2A)DATA
L4   (         1)SEA FILE=USPATFULL L2 AND L3
L5   (        14)SEA FILE=USPATFULL TRANSFORM?(W)AUDIO(W)DATA
L6   (         0)SEA FILE=USPATFULL L2 AND L5
L7   (       454)SEA FILE=USPATFULL WEB SERVER
L8   (        60)SEA FILE=USPATFULL L7 AND L2
L9   (      8884)SEA FILE=USPATFULL DATA(2A)TRANSFORM?
L10  (         8)SEA FILE=USPATFULL L8 AND L9
L11  (      4341)SEA FILE=USPATFULL TCP
L12  (      1018)SEA FILE=USPATFULL UDP
L13  (       408)SEA FILE=USPATFULL L11 AND L12
L14  (         0)SEA FILE=USPATFULL L10 AND L13
L15  (        36)SEA FILE=USPATFULL L8 AND L11
L16  (         3)SEA FILE=USPATFULL L15 AND L12
L17  (       368)SEA FILE=USPATFULL PROTOCOL(2A)TRANSFORM?
L18  (         0)SEA FILE=USPATFULL L8 AND L17
L19  (       621)SEA FILE=USPATFULL PROTOCOL(W)(STACK OR SERVER)
L20  (         9)SEA FILE=USPATFULL L19 AND L8
L21  (         3)SEA FILE=USPATFULL L8 AND L12
L22  (         0)SEA FILE=USPATFULL DATA(2A)TANSMIT?(2A)CLIENT(2A)UDP
          ---------
L23        8 S L10
L24        0 S PN 5918018
L25        0 S 5918018/PN
L26        0 S 5918018/PI
L27        1 S US5918018/PN
L28        1 S US5826025/PN
L29        0 S L28 AND DATA(W)TRANSFORM?
L30        1 S L28 AND TRANSFORM?(2A)DATA
L31        1 S L28 AND TCP
L32        0 S L28 AND UDP
L33        0 S L28 AND PROTOCOL(2A)TRANSFORM?
L34        0 S L28 AND TRANSFORM?(2A)PROTOCOL
L35        0 S L28 AND APPLICATION?(2A)PROTOCOL
L36        0 S L28 AND ENCOD?(2A)FORMAT
L37        0 S L28 AND DATA(2A)TYPE(2A)IDENTIF?
L38        0 S L28 AND DATA(2A)IDENTIF?
L39        0 S L28 AND FORMAT
L40        0 S L28 AND TRANSMIT?(2A)DATA
L41        0 S L28 AND TRANSMIT?(W)DATA
L42        1 S US5710918/PN
L43        0 S L42 AND TRANSMIT?(W)DATA
L44        0 S L42 AND TRANSFORM?(W)DATA
L45        1 S L42 AND DATA(2A)FORMAT?
L46        0 S L45 AND UDP
L47        0 S L42 AND UDP
L48        0 S L42 AND TRANSFORM?(W)DATA
L49        0 S L42 AND TRANSMIT?(W)DATA
L50        1 S L42 AND TCP
L51        1 S US5918018/PN
L52        1 S US5790664/PN
L53        1 S US5673322/PN
```

```
        ---------
L4   (      149)SEA FILE=USPATFULL (WWW OR WORLD WIDE WEB)(W)SERVER
L5   (      105)SEA FILE=USPATFULL PROXY(W)SERVER
L6   (       76)SEA FILE=USPATFULL PROTOCOL(W)SERVER
L7   (     1018)SEA FILE=USPATFULL UDP
L8   (     4341)SEA FILE=USPATFULL TCP
L9   (     7147)SEA FILE=USPATFULL CLIENT
L10  (       23)SEA FILE=USPATFULL L4 AND L5
L11  (        3)SEA FILE=USPATFULL L4 AND L6
L12  (       17)SEA FILE=USPATFULL L4 AND L7
L13  (      149)SEA FILE=USPATFULL L4 AND 5
L14  (      114)SEA FILE=USPATFULL L4 AND L9
L15  (        6)SEA FILE=USPATFULL L5 AND L6
L16  (       12)SEA FILE=USPATFULL L5 AND L7
L17  (       54)SEA FILE=USPATFULL L5 AND L8
L18  (       86)SEA FILE=USPATFULL L5 AND L9
L19  (        9)SEA FILE=USPATFULL L6 AND L7
L20  (       38)SEA FILE=USPATFULL L6 AND L8
L21  (       63)SEA FILE=USPATFULL L6 AND L9
L22  (      408)SEA FILE=USPATFULL L7 AND L8
L23  (      256)SEA FILE=USPATFULL L7 AND L9
L24  (     1203)SEA FILE=USPATFULL L8 AND L9
L25  (        2)SEA FILE=USPATFULL L4 AND L5 AND L6
L26  (       19)SEA FILE=USPATFULL L4 AND L9 AND L5
L27  (        2)SEA FILE=USPATFULL L26 AND L6
        ---------
```